



Connexin-32 rabbit pAb

Cat#: orb768411 (Manual)

For research use only. Not intended for diagnostic use.

Product Name Connexin-32 rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300. ELISA:

1/40000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human Connexin-32. AA range:66-115

Specificity Connexin-32 Polyclonal Antibody detects endogenous levels of Connexin-32

protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Gap junction beta-1 protein

Gene Name GJB1

Cellular localization Cell membrane; Multi-pass membrane protein. Cell junction, gap junction.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal





Concentration 1 mg/ml

Observed band 32kD

Human Gene ID 2705


P08034 **Human Swiss-Prot Number**

Alternative Names GJB1; CX32; Gap junction beta-1 protein; Connexin-32; Cx32; GAP

junction 28 kDa liver protein

Background

This gene encodes a member of the gap junction protein family. The gap junction proteins are membrane-spanning proteins that assemble to form gap junction channels that facilitate the transfer of ions and small molecules between cells. According to sequence similarities at the nucleotide and amino acid levels, the gap junction proteins are divided into two categories, alpha and beta. Mutations in this gene cause X-linked Charcot-Marie-Tooth disease, an inherited peripheral neuropathy. Alternatively spliced transcript variants encoding the same protein have been found for this gene. [provided by RefSeq, Oct 2008],



Immunohistochemistry analysis of Connexin-32 antibody in paraffin-embedded human lung carcinoma tissue.

