



## Olfactory receptor 8H2 rabbit pAb

**Cat#: orb768931 (Manual)** 

For research use only. Not intended for diagnostic use.

Product Name Olfactory receptor 8H2 rabbit pAb

Host species Rabbit

**Applications** IF;ELISA

Species Cross-Reactivity Human; Rat; Mouse;

**Recommended dilutions** Immunofluorescence: 1/200 - 1/1000. ELISA: 1/20000. Not yet tested in

other applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human OR8H2. AA range:87-136

Specificity Olfactory receptor 8H2 Polyclonal Antibody detects endogenous levels of

Olfactory receptor 8H2 protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Olfactory receptor 8H2

Gene Name OR8H2

Cellular localization Cell membrane; Multi-pass membrane protein.

**Purification** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

**Clonality** Polyclonal





Concentration 1 mg/ml

Observed band


Human Gene ID 390151

Human Swiss-Prot Number Q8N162

Alternative Names OR8H2; Olfactory receptor 8H2; Olfactory receptor OR11-171

**Background** 

olfactory receptor family 8 subfamily H member 2(OR8H2) Homo sapiens Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],



Immunofluorescence analysis of A549 cells, using OR8H2 Antibody. The picture on the right is blocked with the synthesized peptide.