



## Olfactory receptor 5M9 rabbit pAb

**Cat#: orb768935 (Manual)** 

For research use only. Not intended for diagnostic use.

Product Name Olfactory receptor 5M9 rabbit pAb

Host species Rabbit

Applications WB;IF;ELISA

Species Cross-Reactivity Human; Rat; Mouse;

**Recommended dilutions** Western Blot: 1/500 - 1/2000. Immunofluorescence: 1/200 - 1/1000. ELISA:

1/10000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human OR5M9. AA range:197-246

Specificity Olfactory receptor 5M9 Polyclonal Antibody detects endogenous levels of

Olfactory receptor 5M9 protein.

**Formulation** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Olfactory receptor 5M9

Gene Name OR5M9

Cellular localization Cell membrane; Multi-pass membrane protein.

**Purification** The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

**Clonality** Polyclonal





Concentration 1 mg/ml

Observed band 38kD


Human Gene ID 390162

Human Swiss-Prot Number Q8NGP3

Alternative Names OR5M9; Olfactory receptor 5M9; Olfactory receptor OR11-190

**Background** 

olfactory receptor family 5 subfamily M member 9(OR5M9) Homo sapiens Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms. [provided by RefSeq, Jul 2008],




Immunofluorescence analysis of MCF7 cells, using OR5M9 Antibody. The picture on the right is blocked with the synthesized peptide.






Explore. Bioreagents.



Western blot analysis of lysates from Jurkat, HepG2, and HeLa cells, using OR5M9 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from HUVECcells using OR5M9 antibody.