



## Manic Fringe rabbit pAb

## Cat#: orb769112 (Manual)

For research use only. Not intended for diagnostic use.

Product Name	Manic Fringe rabbit pAb
Host species	Rabbit
Applications	WB;ELISA
Species Cross-Reactivity	Human;Mouse;Rat
Recommended dilutions	Western Blot: 1/500 - 1/2000. ELISA: 1/5000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized peptide derived from human MFNG. AA range:61-110
Specificity	Manic Fringe Polyclonal Antibody detects endogenous levels of Manic Fringe protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Beta-1,3-N-acetylglucosaminyltransferase manic fringe
Gene Name	MFNG
Cellular localization	Golgi apparatus membrane ; Single-pass type II membrane protein .
Purification	The antibody was affinity-purified from rabbit antiserum by affinity- chromatography using epitope-specific immunogen.
Clonality	Polyclonal



## www.biorbyt.com

Concentration	1 mg/ml
Observed band	38kD
Human Gene ID	4242
Human Swiss-Prot Number	O00587
Alternative Names	MFNG; Beta-1; 3-N-acetylglucosaminyltransferase manic fringe; O- fucosylpeptide 3-beta-N-acetylglucosaminyltransferase
Background	This gene is a member of the fringe gene family which also includes radical and lunatic fringe genes. They all encode evolutionarily conserved secreted proteins that act in the Notch receptor pathway to demarcate boundaries during embryonic development. While their genomic structure is distinct from other glycosyltransferases, fringe proteins have a fucose-specific beta- 1,3-N-acetylglucosaminyltransferase activity that leads to elongation of O- linked fucose residues on Notch, which alters Notch signaling. [provided by RefSeq, Oct 2009],

