


PCTAIRE-2 rabbit pAb**Cat#: orb769386 (Manual)**

For research use only. Not intended for diagnostic use.

Product Name	PCTAIRE-2 rabbit pAb
Host species	Rabbit
Applications	WB;ELISA
Species Cross-Reactivity	Human;Mouse;Rat
Recommended dilutions	Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.
Immunogen	Synthesized peptide derived from PCTAIRE-2 . at AA range: 70-150
Specificity	PCTAIRE-2 Polyclonal Antibody detects endogenous levels of PCTAIRE-2 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide..
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Cyclin-dependent kinase 17
Gene Name	CDK17
Cellular localization	
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Clonality	Polyclonal

Concentration	1 mg/ml
Observed band	
Human Gene ID	5128
Human Swiss-Prot Number	Q00537
Alternative Names	CDK17; PCKT2; Cyclin-dependent kinase 17; Cell division protein kinase 17; PCKTAIRE-motif protein kinase 2; Serine/threonine-protein kinase PCKTAIRE-2
Background	The protein encoded by this gene belongs to the cdc2/cdkx subfamily of the ser/thr family of protein kinases. It has similarity to a rat protein that is thought to play a role in terminally differentiated neurons. Alternatively spliced transcript variants encoding different isoforms have been found. [provided by RefSeq, Jul 2010],



Western blot analysis of PCKT2 Antibody. The lane on the right is blocked with the PCKT2 peptide.