



Actin-α/γ rabbit pAb

Cat#: orb769819 (Manual)

For research use only. Not intended for diagnostic use.

Product Name Actin- α/γ rabbit pAb

Host species Rabbit

Applications WB;IHC;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. Immunohistochemistry: 1/100 - 1/300.

Immunofluorescence: 1/200 - 1/1000. ELISA: 1/10000. Not yet tested in

other applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human Actin. AA range:21-70

Specificity Actin-α/γ Polyclonal Antibody detects endogenous levels of Actin-α/γ

protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Actin alpha cardiac muscle 1

Gene Name ACTC1

Cellular localization Cytoplasm, cytoskeleton.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.

Clonality Polyclonal





Concentration 1 mg/ml

Observed band 45kD

Human Gene ID 58/70/71/72

Human Swiss-Prot Number P68032/P63261/P63267/P68133


ACTC1; ACTC; Actin; alpha cardiac muscle 1; Alpha-cardiac actin; ACTG1; ACTB; ACTG; Actin, cytoplasmic 2; Gamma-actin; ACTG2 **Alternative Names**

ACTA3; ACTL3; ACTSG; Actin, gamma-enteric smooth muscle; Alpha-

actin-3; Gamma-2-actin; Smooth muscle gamma-actin;

Background

Actins are highly conserved proteins that are involved in various types of cell motility. Polymerization of globular actin (G-actin) leads to a structural filament (F-actin) in the form of a two-stranded helix. Each actin can bind to four others. The protein encoded by this gene belongs to the actin family which is comprised of three main groups of actin isoforms, alpha, beta, and gamma. The alpha actins are found in muscle tissues and are a major constituent of the contractile apparatus. Defects in this gene have been associated with idiopathic dilated cardiomyopathy (IDC) and familial hypertrophic cardiomyopathy (FHC). [provided by RefSeq, Jul 2008],




Immunofluorescence analysis of HUVEC cells, using Actin-pan Antibody. The picture on the right is blocked with the synthesized peptide.






Explore. Bioreagents.



Immunohistochemistry analysis of paraffin-embedded human skeletal muscle tissue, using Actin-pan Antibody. The picture on the right is blocked with the synthesized peptide.



Western blot analysis of lysates from mouse brain, using Actin-pan Antibody. The lane on the right is blocked with the synthesized peptide.