



STAMP2 rabbit pAb

Cat#: orb770465 (Manual)

For research use only. Not intended for diagnostic use.

Product Name STAMP2 rabbit pAb

Host species Rabbit

Applications IHC;IF;ELISA

Species Cross-Reactivity Human; Rat; Mouse;

Recommended dilutions Immunohistochemistry: 1/100 - 1/300. Immunofluorescence: 1/200 - 1/1000.

ELISA: 1/20000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human STEAP4. AA range:201-250

Specificity STAMP2 Polyclonal Antibody detects endogenous levels of STAMP2

protein.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Metalloreductase STEAP4

Gene Name STEAP4

Cellular localization Cell membrane ; Multi-pass membrane protein . Golgi apparatus membrane ;

Multi-pass membrane protein . Early endosome membrane ; Multi-pass

membrane protein.

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.





Polyclonal **Clonality**

Concentration 1 mg/ml

Observed band

79689 **Human Gene ID**

Human Swiss-Prot Number Q687X5


Alternative Names STEAP4; STAMP2; TNFAIP9; Metalloreductase STEAP4; Six-

transmembrane epithelial antigen of prostate 4; SixTransMembrane protein of prostate 2; Tumor necrosis factor; alpha-induced protein 9

Background

STEAP4 metalloreductase(STEAP4) Homo sapiens The protein encoded by this gene belongs to the STEAP (six transmembrane epithelial antigen of prostate) family, and resides in the golgi apparatus. It functions as a metalloreductase that has the ability to reduce both Fe(3+) to Fe(2+) and metalloreductase that has the ability to reduce both Fe(3+) to Fe(2+) and Cu(2+) to Cu(1+), using NAD(+) as acceptor. Studies in mice and human suggest that this gene maybe involved in adipocyte development and metabolism, and may contribute to the normal biology of the prostate cell, as well as prostate cancer progression. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by

RefSeq, Apr 2011],




Immunofluorescence analysis of HeLa cells, using STEAP4 Antibody. The picture on the right is blocked with the synthesized peptide.





Explore. Bioreagents.



Immunohistochemistry analysis of paraffin-embedded human placenta tissue, using STEAP4 Antibody. The picture on the right is blocked with the synthesized peptide.