



Dab1 (phospho Tyr232) rabbit pAb

Cat#: orb770727 (Manual)

For research use only. Not intended for diagnostic use.

Product Name Dab1 (phospho Tyr232) rabbit pAb

Host species Rabbit

Applications WB;IF;ELISA

Species Cross-Reactivity Human; Mouse; Rat

Recommended dilutions Western Blot: 1/500 - 1/2000. Immunofluorescence: 1/200 - 1/1000. ELISA:

1/20000. Not yet tested in other applications.

Immunogen The antiserum was produced against synthesized peptide derived from

human Dab1 around the phosphorylation site of Tyr232. AA range:199-248

Specificity Phospho-Dab1 (Y232) Polyclonal Antibody detects endogenous levels of

Dab I protein only when phosphorylated at Y232.

Formulation Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium

azide..

Storage Store at -20°C. Avoid repeated freeze-thaw cycles.

Protein Name Disabled homolog 1

Gene Name DAB1

Cellular localization nucleolus, microtubule organizing center, cytosol, brush border, postsynaptic

density, membrane, neuron projection, neuronal cell body, intracellular membrane-bounded organelle, apical part of cell, perinuclear region of

cytoplasm,

Purification The antibody was affinity-purified from rabbit antiserum by affinity-

chromatography using epitope-specific immunogen.





Clonality Polyclonal

Concentration 1 mg/ml

Observed band 60kD


Human Gene ID 8674

Human Swiss-Prot Number O75553

Alternative Names DAB1; Disabled homolog 1

Background

The laminar organization of multiple neuronal types in the cerebral cortex is required for normal cognitive function. In mice, the disabled-1 gene plays a central role in brain development, directing the migration of cortical neurons past previously formed neurons to reach their proper layer. This gene is similar to disabled-1, and the protein encoded by this gene is thought to be a signal transducer that interacts with protein kinase pathways to regulate neuronal positioning in the developing brain. Alternatively spliced transcript variants of this gene have been reported, but their full length nature has not been determined. [provided by RefSeq, Jul 2008],




Enzyme-Linked Immunosorbent Assay (Phospho-ELISA) for Immunogen Phosphopeptide (Phospho-left) and Non-Phosphopeptide (Phospho-right), using Dab1 (Phospho-Tyr232) Antibody





Explore. Bioreagents.



Western blot analysis of lysates from LOVO cells, using Dab1 (Phospho-Tyr232) Antibody. The lane on the right is blocked with the phospho peptide.