

Product Datasheet

CD200 Rabbit Polyclonal Antibody (orb100118)

Catalog Number	orb100118
Category	Antibodies
Description	CD200 Rabbit Polyclonal Antibody is an unconjugated antibody that specifically recognizes CD200. Generated against a KLH conjugated synthetic peptide derived from human CD200. The peptide is available as orb12935. The suitable applications for this antibody are IHC-P and WB.
Target	CD200
Clonality	Polyclonal
Species/Host	Rabbit
Isotype	IgG
Conjugation	Unconjugated
Form/Appearance	10 mM PBS, 0.02% sodium azide
Concentration	- 100 µg (in 200 µl): 0.5 mg/ml- 200 µg (in 400 µl): 0.5 mg/ml
Purity	Polyclonal antibodies are purified by peptide affinity chromatography
Immunogen	KLH conjugated synthetic peptide derived from human CD200. Please contact us for the exact immunogen sequence. The peptide is available as orb12935.
UniProt ID	P41217
MW	31 kDa
Tested applications	IHC-P, WB
Dilution range	IHC-P: 1:50-300, WB: 1:200-1500

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom


Email: info@biorbyt.com, support@biorbyt.com
Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

Biorbyt LLC


68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713-2847
United States

Email: info@biorbyt.com, support@biorbyt.com
Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Note	For research use only
Entrez	4345
NCBI	21, 001004196
Expiration Date	12 months from date of receipt.



IHC-P image of rat bladder tissue using CD200 antibody (dilution of primary antibody at 2.5 ug/ml)



IHC-P staining of rat testis tissue using anti-CD200 (dilution at 2.5 ug/ml)

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com


Phone: +44 (0)1223 859353 | Fax: +1 (415) 651-8558

Biorbyt LLC


68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713-2847
United States

Email: info@biorbyt.com, support@biorbyt.com


Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558



Immunohistochemical staining of paraffin embedded rat testis tissue using CD200 antibody (primary antibody at 2.5 ug/ml)



WB analysis of mouse brain (lane 1), mouse spinal cord (lane 2), rat bladder (lane 3), rat ovary (lane 4), mouse testis (lane 5), human lung cancer (lane 6) using CD200 antibody (1 ug/ml)



Immunohistochemical staining of rat bladder tissue using anti-CD200 (dilution of primary antibody - 2.5 ug/ml)

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com

Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

Biorbyt LLC


68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713-2847
United States

Email: info@biorbyt.com, support@biorbyt.com

Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)



Western blot analysis of mouse brain (lane 1), mouse spinal cord (lane 2), rat bladder (lane 3), rat ovary (lane 4), mouse testis (lane 5), human lung cancer (lane 6) using CD200 antibody (1 ug/ml)



IHC-P staining of rat brain tissue using CD200 antibody (dilution at 2.5 ug/ml)

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com

Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

Biorbyt LLC

68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713-2847
United States

Email: info@biorbyt.com, support@biorbyt.com

Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)