

Product Datasheet

Recombinant Human Tumor necrosis factor ligand superfamily member 9 (TNFSF9), partial (Active) (orb1095870)

| | |
|-----------------------------|---|
| Catalog Number | orb1095870 |
| Category | Proteins |
| Description | This Recombinant Human Tumor necrosis factor ligand superfamily member 9 (TNFSF9), partial (Active) spans the amino acid sequence from region 71-254aa. Purity: Greater than 90% as determined by SDS-PAGE. |
| Tag | N-terminal hFc-Myc-tagged |
| Form/Appearance | Lyophilized powder |
| Buffer/Preservatives | Lyophilized from a 0.2 µm sterile filtered PBS, 6% Trehalose, pH 7.4 |
| Purity | Greater than 90% as determined by SDS-PAGE. |
| Protein Sequence | REGPELSPDDPAGLLDLRQGMFAQLVAQNVLLIDGPLSWYSDPGLAGVSLTGGLSYKEDTK ELVAKAGVYYYVFFQLELRRVVAGEGSGSVSLALHLQPLRSAAGAAALALTVDLPPASSEAR NSAFGFQGRLLHLSAGQRLGVHLHTEARARHAWQLTQGATVLGLFRVTPEIPAGLPSRSE |
| Protein Length | Partial |
| UniProt ID | P41273 |
| MW | 48.0 kDa |
| Application notes | We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference. |

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom


Email: info@biorbyt.com, support@biorbyt.com
Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

Biorbyt LLC

68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713-2847
United States

Email: info@biorbyt.com, support@biorbyt.com
Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

| | |
|----------------------------|---|
| Endotoxins | Less than 1.0 EU/ μ g as determined by LAL method. |
| Source | Mammalian cell |
| Biological Origin | Homo sapiens (Human) |
| Biological Activity | Measured by its binding ability in a functional ELISA. Immobilized TNFSF9 at 2 μ g/mL can bind TNFRSF9, the EC50 is 2.671-3.702 ng/mL. |
| Expression Region | 71-254aa |
| Storage | The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C. |
| Note | For research use only |
| Expiration Date | 6 months from date of receipt. |



(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com


Phone: +44 (0)1223 859353 | Fax: +1 (415) 651-8558

Biorbyt LLC

68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713-2847
United States

Email: info@biorbyt.com, support@biorbyt.com

Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558



Measured by its binding ability in a functional ELISA.
Immobilized TNFSF9 at 2 µg/ml can bind TNFRSF9, the EC₅₀ is 2.671-3.702 ng/mL.

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com

Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

Biorbyt LLC

68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713-2847
United States

Email: info@biorbyt.com, support@biorbyt.com

Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)