

## Product Datasheet

### Insulysin Peptide (orb1233981)

|                             |   |
|-----------------------------|---|
| <b>Catalog Number</b>       | orb1233981  |
| <b>Category</b>             | Proteins  |
| <b>Description</b>          | Insulysin Peptide   |
| <b>Target</b>               | IDE   |
| <b>Form/Appearance</b>      | Lyophilized   |
| <b>Buffer/Preservatives</b> | Insulysin peptide is supplied as 100 µg of dried peptide. When the peptide is reconstituted in 200 µL water, the concentration will be 0.5 mg/mL.   |
| <b>UniProt ID</b>           | <b>P14735</b>   |
| <b>Tested applications</b>  | Blocking  |
| <b>Application notes</b>    | Insulysin Peptide is used for blocking the activity of Insulysin antibody. Mix equal volume of peptide and antibody at the required dilution and leave at ambient temperature for 20 minutes. Then incubate and develop in parallel two blots: one with the antibody and one with the antibody which has been pre-absorbed with the provided peptide. |
| <b>Storage</b>              | Store at -20°C. When reconstituted minimize freezing and thawing.   |
| <b>Note</b>                 | For research use only   |
| <b>NCBI</b>                 | <b>NP_004960.1</b>  |

#### Biorbyt Ltd.

7 Signet Court, Swann Road  
Cambridge  
CB5 8LA  
United Kingdom

Email: [info@biorbyt.com](mailto:info@biorbyt.com), [support@biorbyt.com](mailto:support@biorbyt.com)  
Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

#### Biorbyt LLC

68 TW Alexander Drive  
Research Triangle Park  
Durham  
NC 27713  
United States

Email: [info@biorbyt.com](mailto:info@biorbyt.com), [support@biorbyt.com](mailto:support@biorbyt.com)  
Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)