

Product Datasheet

Recombinant OSM, Mouse (HEK293-expressed) (orb1494628)

Description	Oncostatin-M, also known as OSM, is a growth regulator belonging to the interleukin-6 group of cytokines. It is expressed mainly by monocytes, activated T cells and Kaposi's sarcoma cells. OSM signals through two types of receptors; one is composed of gp130 and LIFR, and the other is composed of gp130 and OSMR. OSM regulates IL-6, G-CSF and GM-CSF production, and thus is involved in hematopoiesis, neurogenesis and osteogenesis. OSM displays both stimulatory and inhibitory effects, so its categorization as pro-inflammatory or anti-inflammatory cytokine is still controversial.
Endotoxins	< 0.2 EU/μg, determined by LAL method.
Preservatives	Lyophilized after extensive dialysis against PBS.
Form/Appearance	Lyophilized after extensive dialysis against PBS.
Storage	Lyophilized recombinant Murine Oncostatin-M remains stable up to 6 months at -80°C from date of receipt. Upon reconstitution, Murine Oncostatin-M should be stable up to 1 week at 4°C or up to 2 months at -20°C.
Note	For research use only
Application notes	Reconstituted in ddH ₂ O or PBS at 100 μg/ml.
Protein Sequence	ANRGCSNSSSQLLSQLQNQANLTGNTESLLEPYIRLQNLNTPDLRAACTQHSVAFPSEDTL RQLSKPHFLSTVYTTLDRV LYQLDALRQKFLKTPAFPKLDSARHNILGIRNNVFCMARLLNHSLEIPEPTQTDSGASRSTTT PDVFNTKIGSCGFLWGY HRFMGSVGRVFREWDDGSTRSRR
Purity	> 95% as analyzed by SDS-PAGE and HPLC.
Source	HEK 293
MW	10-40 kDa, observed by reducing SDS-PAGE.
Expiration Date	6 months from date of receipt.

Biorbyt Ltd.

7 Signet Court, Swann's Road,
Cambridge, CB5 8LA, United Kingdom
Email: info@biorbyt.com, support@biorbyt.com
Phone: [+44 \(0\) 1223 859-353](tel:+441223859353) | Fax: [+1 \(415\) 651-8558](tel:+14156518558)

Biorbyt LLC.

68 TW Alexander Drive,
Durham, NC, 27713, United States
Email: info@biorbyt.com, support@biorbyt.com
Phone: [+1 \(415\) 906-5211](tel:+14159065211) | Fax: [+1 \(415\) 651-8558](tel:+14156518558)