

## Product Datasheet

# Recombinant IL-10, Rat (CHO-expressed) (orb1494721)

<b>Catalog Number</b>	orb1494721
<b>Category</b>	Proteins
<b>Description</b>	Interleukin-10 (IL-10), initially known as Cytokine Synthesis Inhibitory Factor (CSIF), belongs to the IL-10 family and shares more than 80% sequence homology with the Epstein-Barr Virus protein BCRF1. It is produced by many immune cells, such as T-cells, macrophages, mast cells and dendritic cells. It is usually secreted as a homodimer and, upon binding to its receptor, inhibits the synthesis of a number of cytokines, including IFN-gamma, IL-2, IL-3, TNF and GM-CSF produced by activated macrophages and Th2 cells. It also displays the ability to suppress Antigen-Presenting Cell (APC) function. The net effect of Interleukin-10 appears to be inhibitory; however, stimulatory effects, such as stimulation of B cell maturation and antibody production, are also reported.
<b>Form/Appearance</b>	Lyophilized after extensive dialysis against PBS.
<b>Buffer/Preservatives</b>	Lyophilized after extensive dialysis against PBS.
<b>Purity</b>	> 95% as analyzed by SDS-PAGE and HPLC.
<b>Purification</b>	> 95% as analyzed by SDS-PAGE and HPLC.
<b>Protein Sequence</b>	SKGHSIRGDNNCTHFPVSQTHMLRELRAAFSQVKTFQKKDQLDNILLTDSLLQDFKGYLG CQALSEMIKFYLVEVMPQA ENHGPEIKEHLNSLGEKCLKTLWIQLRRCHRFLPCENKSKAVEQVKNDFNKLQDKGVYKAMN EFDIFINCIEAYVTLKMKN
<b>MW</b>	8-22 kDa, observed by reducing SDS-PAGE.
<b>Application notes</b>	Reconstituted in ddH <sub>2</sub> O or PBS at 100 µg/ml.
<b>Endotoxins</b>	0.2 EU/µg, determined by LAL method.

**Biorbyt Ltd.**

7 Signet Court, Swann Road  
Cambridge  
CB5 8LA  
United Kingdom

Email: [info@biorbyt.com](mailto:info@biorbyt.com), [support@biorbyt.com](mailto:support@biorbyt.com)  
Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

**Biorbyt LLC**

68 TW Alexander Drive  
Research Triangle Park  
Durham  
NC 27713-2847  
United States

Email: [info@biorbyt.com](mailto:info@biorbyt.com), [support@biorbyt.com](mailto:support@biorbyt.com)  
Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

<b>Source</b>	CHO
<b>Biological Activity</b>	ED50 8µg /ml, measured in a bioassay using C6 cells.
<b>Storage</b>	Lyophilized recombinant rat Interleukin-10(IL-10) remains stable up to 6 months at -80°C from date of receipt. Upon reconstitution, Rat Interleukin-10 should be stable up to 1 week at 4°C or up to 2 months at -20°C.
<b>Note</b>	For research use only
<b>Expiration Date</b>	6 months from date of receipt.

---

#### **Biorbyt Ltd.**

7 Signet Court, Swann Road  
Cambridge  
CB5 8LA  
United Kingdom

Email: [info@biorbyt.com](mailto:info@biorbyt.com), [support@biorbyt.com](mailto:support@biorbyt.com)

Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

#### **Biorbyt LLC**

68 TW Alexander Drive  
Research Triangle Park  
Durham  
NC 27713-2847  
United States

Email: [info@biorbyt.com](mailto:info@biorbyt.com), [support@biorbyt.com](mailto:support@biorbyt.com)

Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)