

Product Datasheet

Goat Anti-Rabbit IgG H&L, BF488 conjugated (orb1817051)

Catalog Number	orb1817051
Category	Antibodies
Description	The Goat Anti-Rabbit IgG H&L, BF488 conjugated is a BF488 conjugated polyclonal antibody suitable for FC, ICC, IF. This product reacts with Rabbit samples.
Clonality	Polyclonal
Species/Host	Goat
Isotype	IgG
Conjugation	BF488
Reactivity	Rabbit
Form/Appearance	Liquid
Concentration	2.0 mg/ml
Buffer/Preservatives	10 mM TBS (pH=7.4) with 1% rAlbumin, 0.03% Proclin300 and 50% glycerol.
Purification	Affinity purified by Protein G, nonspecific adsorbed
Immunogen	Native rabbit IgG
Tested applications	FC, ICC, IF
Antibody Type	Secondary Antibody
Storage	Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com
Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)


Biorbyt LLC

68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713-2847
United States


Email: info@biorbyt.com, support@biorbyt.com
Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

Note For research use only


Expiration Date 12 months from date of receipt.



Paraformaldehyde-fixed, paraffin embedded (human cerebellum), Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min, Blocking buffer (normal goat serum) at 37°C for 30 min, Incubation with (GFAP) Polyclonal Antibody, Unconjugated (orb500829) at 1:100 overnight at 4°C, followed by a conjugated Goat Anti-Rabbit IgG antibody (orb1817051) for 90 minutes, and DAPI for nuclei staining.



Paraformaldehyde-fixed, paraffin embedded (mouse brain), Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min, Blocking buffer (normal goat serum) at 37°C for 30 min, Incubation with (GFAP) Polyclonal Antibody, Unconjugated (orb500829) at 1:100 overnight at 4°C, followed by a conjugated Goat Anti-Rabbit IgG antibody (orb1817051) for 90 minutes, and DAPI for nuclei staining.



Paraformaldehyde-fixed, paraffin embedded (mouse cerebellum), Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min, Blocking buffer (normal goat serum) at 37°C for 30 min, Incubation with (GFAP) Polyclonal Antibody, Unconjugated (orb500829) at 1:100 overnight at 4°C, followed by a conjugated Goat Anti-Rabbit IgG antibody (orb1817051) for 90 minutes, and DAPI for nuclei staining.

Biorbyt Ltd.


7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com
Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)


Biorbyt LLC

68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713-2847
United States

Email: info@biorbyt.com, support@biorbyt.com
Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)



Paraformaldehyde-fixed, paraffin embedded (rat brain), Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min, Blocking buffer (normal goat serum) at 37°C for 30 min, Incubation with (GFAP) Polyclonal Antibody, Unconjugated (orb500829) at 1:100 overnight at 4°C, followed by a conjugated Goat Anti-Rabbit IgG antibody (orb1817051) for 90 minutes, and DAPI for nuclei staining.



Paraformaldehyde-fixed, paraffin embedded (rat cerebellum), Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15 min, Blocking buffer (normal goat serum) at 37°C for 30 min, Incubation with (GFAP) Polyclonal Antibody, Unconjugated (orb500829) at 1:100 overnight at 4°C, followed by a conjugated Goat Anti-Rabbit IgG antibody (orb1817051) for 90 minutes, and DAPI for nuclei staining.

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com
Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

Biorbyt LLC

68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713-2847
United States

Email: info@biorbyt.com, support@biorbyt.com
Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)