

Product Datasheet

Goat anti-HIP2 Antibody (orb18834)

Description	Goat polyclonal antibody to UBE2K
Species/Host	Goat
Reactivity	Bovine, Canine, Human, Mouse, Porcine
Conjugation	Unconjugated
Tested Applications	ELISA, IHC, WB
Target	HIP2
Preservatives	Supplied at 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH 7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
Storage	Aliquot and store at -20°C. Minimize freezing and thawing.
Note	For research use only
Application notes	ELISA: Peptide ELISA: antibody detection limit dilution 1:2000.WB: Approx 24kDa band observed in Jurkat cell lysates (calculated MW of 22.4 kDa according to NP_005330). Recommended for use at 1-3 µg/ml.
Protein Sequence	SWDVETATELLSN
Clonality	Polyclonal
MW	22.4; 17.4; 16.6
Entrez	3093
Dilution Range	ELISA: 1:2000, WB: 1-3 µg/ml, IHC-P: 1-2µg/ml
Expiration Date	12 months from date of receipt.

Biorbyt Ltd.


7 Signet Court, Swann's Road,
Cambridge, CB5 8LA, United Kingdom
Email: info@biorbyt.com, support@biorbyt.com
Phone: [+44 \(0\) 1223 859-353](tel:+441223859353) | Fax: [+1 \(415\) 651-8558](tel:+14156518558)

Biorbyt LLC.

68 TW Alexander Drive,
Durham, NC, 27713, United States
Email: info@biorbyt.com, support@biorbyt.com
Phone: [+1 \(415\) 906-5211](tel:+14159065211) | Fax: [+1 \(415\) 651-8558](tel:+14156518558)



Western blot analysis of Jurkat lysate using UBE2K antibody



Immunohistochemical staining of Human Cortex using UBE2K antibody

Biorbyt Ltd.

7 Signet Court, Swann's Road,
Cambridge, CB5 8LA, United Kingdom
Email: info@biorbyt.com, support@biorbyt.com
Phone: [+44 \(0\) 1223 859-353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)6518558)

Biorbyt LLC.

68 TW Alexander Drive,
Durham, NC, 27713, United States
Email: info@biorbyt.com, support@biorbyt.com
Phone: [+1 \(415\) 906-5211](tel:+1(415)9065211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)6518558)