

## Product Datasheet

# Phospho-Stat1 (Tyr701) rabbit mAb FITC conjugate Antibody (orb1946186)

<b>Catalog Number</b>	orb1946186
<b>Category</b>	Antibodies
<b>Description</b>	<p>Stat1 mediates the cellular response to IFN<math>\alpha</math>, IFN<math>\beta</math>, and IFN<math>\gamma</math> for the regulation of cell growth and the defense against viral and immune challenges. The Jak-Stat pathway plays a central role in the IFN<math>\gamma</math> response, where Stat1 phosphorylation on Tyr701 causes homodimerization through its SH2 domain, translocation to the nucleus, and binding to gamma-activated sequence (GAS) elements. Early in the activation sequence, Stat1 is also phosphorylated at Ser727 through a mechanism involving PI3 kinase and Akt. Stat1 has been found to correlate with increased resistance to chemotherapeutic drugs. However, Stat1 activation of the immune system helps suppress tumor growth, and multiple melanomas and squamous-cell carcinomas have been known to downregulate Stat1 expression to evade immune surveillance.</p>
<b>Clonality</b>	Monoclonal
<b>Species/Host</b>	Rabbit
<b>Isotype</b>	Rabbit IgG1k
<b>Conjugation</b>	FITC
<b>Reactivity</b>	Human, Mouse
<b>Form/Appearance</b>	Liquid
<b>Buffer/Preservatives</b>	1X PBS, 0.09% NaN <sub>3</sub> , 0.2% rAlbumin
<b>Purification</b>	Protein A+G

**Biorbyt Ltd.**

7 Signet Court, Swann Road  
Cambridge  
CB5 8LA  
United Kingdom


Email: [info@biorbyt.com](mailto:info@biorbyt.com), [support@biorbyt.com](mailto:support@biorbyt.com)  
Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

**Biorbyt LLC**

68 TW Alexander Drive  
Research Triangle Park  
Durham  
NC 27713-2847  
United States

Email: [info@biorbyt.com](mailto:info@biorbyt.com), [support@biorbyt.com](mailto:support@biorbyt.com)  
Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

<b>Immunogen</b>	A synthetic phospho-peptide corresponding to residues surrounding Tyr701 of human phospho Stat1
<b>UniProt ID</b>	<b>P42224</b>
<b>Tested applications</b>	FC
<b>Dilution range</b>	For flow cytometric staining, the suggested use of this reagent is 5 $\mu$ L per million cells or 5 $\mu$ L per 100 $\mu$ L of staining volume. It is recommended that the reagent be titrated for optimal performance for each application.
<b>Cross Reactivity</b>	Predicted to work with mouse, rat, and other homologues.
<b>Clone Number</b>	B5G8
<b>Storage</b>	2-8°C
<b>Note</b>	For research use only
<b>Expiration Date</b>	12 months from date of receipt.



Flow cytometric analysis of U937 cells unstained untreated cells as negative control (blue) or stained untreated (red) or treated with IFN $\alpha$  IL-4 and pervanadate (green) using phospho-Stat1 (Tyr701) antibody Stat1Y701-3E6 FITC conjugate. Cat. #orb1946186.

**Biorbyt Ltd.**

7 Signet Court, Swann Road  
Cambridge  
CB5 8LA  
United Kingdom

Email: [info@biorbyt.com](mailto:info@biorbyt.com), [support@biorbyt.com](mailto:support@biorbyt.com)

Phone: +44 (0)1223 859353 | Fax: +1 (415) 651-8558

**Biorbyt LLC**

68 TW Alexander Drive  
Research Triangle Park  
Durham  
NC 27713-2847  
United States

Email: [info@biorbyt.com](mailto:info@biorbyt.com), [support@biorbyt.com](mailto:support@biorbyt.com)

Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558