

Product Datasheet

Sheep anti Rat IgG Fab, conjugated with Biotin (orb21657)

Catalog Number orb21657

Description Biotin-conjugated IgG fraction of polyclonal sheep antiserum to rat Fab of IgG. In

immunocytochemical and immunohistochemical staining to identify and measure free or Ig bound subunits of both kappa and lambda type at the cellular and subcellular level by staining of appropriately treated cell and tissue

substrates, and to demonstrate circulating antibodies in serodiagnostic microbiology and auto- immune diseases; to identify a specific antigen or immune complex using a reference antibody of rat origin in the middle layer of the indirect test procedure. As a second step an avidin or streptavidin conjugate

of the user's choice has to be used. In general this kind of products is not recommended as direct or indirect screening reagents for immunoglobulin isotypes on the surface of membranes of vital lymphoid cells. The presence of activity to the common Fab subunit may result in the staining of Ig bound to Fcreceptors on non-lymphoid cells. Combinations of isotype-specific reagents should be used instead for this purpose. This immunoconjugate is not pre-

by titration before being used. Excess labelled antibody must be avoided because it may cause high unspecific background staining and interfere with the specific signal. Working dilutions fro histochemical and cytochemical use are usually between 1:100 and 1:500; in ELISA and comparable non-precipitating

diluted. The optimum working dilution of each conjugate should be established

antibody-binding assays between 1:1,000 and 1:10,000.

Species/Host Sheep

Reactivity Rat

Conjugation Biotin

PreservativesBiotin-coupled purified hyperimmune sheep IgG lyophilized from a solution in

phosphate buffered saline (PBS, pH 7.2). No preservative added.

Form/Appearance Biotin-coupled purified hyperimmune sheep IgG lyophilized from a solution in

phosphate buffered saline (PBS, pH 7.2). No preservative added.

Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558



Biorbyt.com

Storage

The lyophilized conjugate is shipped at ambient temperature and may be stored at +4°C; prolonged storage at or below -20°C. Prior to use, an aliquot is thawed slowly in the dark at ambient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at +4°C, not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the immunoconjugate.

Note For research use only

Clonality Polyclonal

Antibody Type Secondary Antibody

Source Purified Fab from normal IgG isolated from pooled rat serum. Freund's complete

adjuvant is used in the first step of the immunization procedure.

Hazard Information This product is intended FOR RESEARCH USE ONLY, and FOR TESTS IN VITRO,

not for use in diagnostic or therapeutic procedures involving humans or animals. This datasheet is as accurate as reasonably achievable, but Biorbyt accepts no

liability for any inaccuracies or omissions in this information.

Expiration Date 12 months from date of receipt.