

Product Datasheet

Goat Rat IgG1 IgG2a IgG2b IgG2c (Fc specific), conjugated with Horseradish peroxidase Antibody (orb21695)

Catalog Number orb21695

Antibodies Category

Description Horseradish peroxidase-conjugated IgG fraction of polyclonal goat antiserum to

> rat IgG, Fc specific. In enzyme-immunocytochemical and immunohistochemical staining for the detection of IgG at the cellular and subcellular level by staining of appropriately treated cell and tissue substrates; to demonstrate circulating IgG antibodies in serodiagnostic microbiology and autoimmune diseases; to identify a specific antigen using a reference antibody of rat origin known to be of the IgG isotype in the middle layer of the indirect test procedure; in non-isotopic assay methodology (e.g. ELISA) to measure IgG in rat serum or other body fluids. This immunoconjugate is not pre-diluted. The optimum working dilution of each conjugate should be established by titration before being used. Excess labelled antibody must be avoided because it may cause high unspecific background staining and interfere with the specific signal. Working dilutions for histochemical and cytochemical use are usually between 1:100 and 1:500; in ELISA and

comparable non-precipitating antibody-binding assays between 1:1,000 and

1:10,000.

Clonality Polyclonal

Species/Host Goat

Conjugation **HRP**

Reactivity Rat

Form/Appearance Horseradish peroxidase-coupled purified hyperimmune goat IgG lyophilized from

a solution in phosphate buffered saline (PBS, pH 7.2). No preservative added, as

it may interfere with the antibody activity.

Biorbyt Ltd.

7 Signet Court, Swann Road Cambridge CB5 8LA United Kingdom

Email: info@biorbyt.com, support@biorbyt.com Phone: +44 (0)1223 859353 | Fax: +1 (415) 651-8558

Biorbyt LLC

68 TW Alexander Drive Research Triangle Park Durham NC 27713 United States

Email: info@biorbyt.com, support@biorbyt.com Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558





RRID AB_10931214

Antibody Type Secondary Antibody

Source Purified normal IgG, including all subclasses, isolated from pooled rat serum.

Freund's complete adjuvant is used in the first step of the immunization

procedure.

Storage The lyophilized conjugate is shipped at ambient temperature and may be stored

at $+4^{\circ}$ C; prolonged storage at or below -20° C. Prior to use, an aliquot is thawed slowly at ambient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at $+4^{\circ}$ C, not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect

the performance of the immunoconjugate.

Note For research use only

Biorbyt Ltd.

7 Signet Court, Swann Road Cambridge CB5 8LA United Kingdom

Email: <u>info@biorbyt.com</u>, <u>support@biorbyt.com</u>
Phone: +44 (0)1223 859353 | Fax: +1 (415) 651-8558

Biorbyt LLC

68 TW Alexander Drive Research Triangle Park Durham NC 27713 United States

Email: <u>info@biorbyt.com</u>, <u>support@biorbyt.com</u> Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558