

Product Datasheet

Multi-rAb Polymer HRP-Goat Rabbit Recombinant Secondary Antibody (H+L) (orb2302681)

Catalog Number	orb2302681
Category	Antibodies
Description	This Multi-rAb antibody targets Rabbit IgG (H+L) in IHC. It is highly specific to rabbit IgG and shows minimal reactivity for mouse, rat, human, pig and bovine IgGs.
Clonality	Recombinant
Species/Host	Goat
Conjugation	HRP
Reactivity	Rabbit
Form/Appearance	Liquid
Concentration	Ready to use
Buffer/Preservatives	TBST+10 mg/mL rAlbumin+1 mg/mL gelatin + 0.1% proclin302
Purity	Protein G purification
Tested applications	IHC
Dilution range	Ready to use
Antibody Type	Recombinant Antibody
Storage	Store at 2-8°C. Stable for one year after shipment.
Note	For research use only

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com

Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)6518558)


Biorbyt LLC

68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713
United States


Email: info@biorbyt.com, support@biorbyt.com

Phone: [+1 \(415\) 906-5211](tel:+1(415)9065211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)6518558)


Expiration Date 12 months from date of receipt.



Immunohistochemical analysis of paraffin-embedded rat brain tissue slide using (TDP43 recombinant antibody) at dilution of 1:4000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-Rabbit Recombinant secondary antibody orb2302681 was used for detection.



Immunohistochemical analysis of paraffin-embedded mouse colon tissue slide using (smooth muscle actin recombinant antibody) at dilution of 1:10000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection.



Immunohistochemical analysis of paraffin-embedded rat colon tissue slide using (smooth muscle actin recombinant antibody) at dilution of 1:10000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection

Biorbyt Ltd.


7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com
Phone: +44 (0)1223 859353 | Fax: +1 (415) 651-8558


Biorbyt LLC

68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713
United States


Email: info@biorbyt.com, support@biorbyt.com
Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558



Immunohistochemical analysis of paraffin-embedded mouse skeletal muscle tissue slide using (Dystrophin polyclonal antibody) at dilution of 1:10000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection.



Immunohistochemical analysis of paraffin-embedded mouse colon tissue slide using (E-cadherin polyclonal antibody) at dilution of 1:5000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection.



Immunohistochemical analysis of paraffin-embedded mouse skin tissue slide using (E-cadherin polyclonal antibody) at dilution of 1:5000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection.

Biorbyt Ltd.


7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com
Phone: +44 (0)1223 859353 | Fax: +1 (415) 651-8558


Biorbyt LLC

68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713
United States


Email: info@biorbyt.com, support@biorbyt.com
Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558



Immunohistochemical analysis of paraffin-embedded human liver tissue slide using (TMEM173/STING antibody) at dilution of 1:2000. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection.



Immunohistochemical analysis of paraffin-embedded human tonsillitis tissue slide using commercial IVD grade KI67 antibody. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection.



Immunohistochemical analysis of paraffin-embedded human colon cancer tissue slide. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection.

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com


Phone: +44 (0)1223 859353 | Fax: +1 (415) 651-8558

Biorbyt LLC


68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713
United States

Email: info@biorbyt.com, support@biorbyt.com


Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558



Immunohistochemical analysis of paraffin-embedded human lymphoma tissue slide. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection.



Immunohistochemical analysis of paraffin-embedded rat ovary tissue slide using (RCAS1 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection. The staining was performed on Celnovte's CNT360-M1 autostainer.



Immunohistochemical analysis of paraffin-embedded mouse cerebellum tissue slide using (RCAS1 antibody) at dilution of 1:1000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection. The staining was performed on Celnovte's CNT360-M1 autostainer.

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com


Phone: +44 (0)1223 859353 | Fax: +1 (415) 651-8558

Biorbyt LLC


68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713
United States

Email: info@biorbyt.com, support@biorbyt.com


Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558



Immunohistochemical analysis of paraffin-embedded rat skeletal muscle tissue slide using (Dystrophin antibody) at dilution of 1:10000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection. The staining was performed on Celnovte's CNT360-M1 autostainer. Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection. The staining was performed on Celnovte's CNT360-M1 autostainer.



Immunohistochemical analysis of paraffin-embedded mouse tongue tissue slide using (Dystrophin antibody) at dilution of 1:10000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection. The staining was performed on Celnovte's CNT360-M1 autostainer.



Immunohistochemical analysis of paraffin-embedded mouse skin tissue slide using (E-cadherin antibody) at dilution of 1:5000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection. The staining was performed on Celnovte's CNT360-M1 autostainer.

Biorbyt Ltd.


7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com
Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)


Biorbyt LLC

68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713
United States


Email: info@biorbyt.com, support@biorbyt.com
Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)



Immunohistochemical analysis of paraffin-embedded human placenta tissue slide using (E-cadherin antibody) at dilution of 1:5000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection. The staining was performed on Celnovte's CNT360-M1 autostainer.



Immunohistochemical analysis of paraffin-embedded rat brain tissue slide using (TDP-43 antibody) at dilution of 1:4000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection. The staining was performed on Celnovte's CNT360-M1 autostainer.



Immunohistochemical analysis of paraffin-embedded mouse brain tissue slide using (TDP-43 antibody) at dilution of 1:4000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection. The staining was performed on Celnovte's CNT360-M1 autostainer.

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com


Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

Biorbyt LLC


68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713
United States

Email: info@biorbyt.com, support@biorbyt.com


Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)



Immunohistochemical analysis of paraffin-embedded human placenta tissue slide using (TDP-43 antibody) at dilution of 1:4000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection. The staining was performed on Celnovte's CNT360-M1 autostainer.



Immunohistochemical analysis of paraffin-embedded mouse spleen tissue slide using (F4/80 antibody) at dilution of 1:5000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection. The staining was performed on Celnovte's CNT360-M1 autostainer.



Immunohistochemical analysis of paraffin-embedded mouse skeletal muscle tissue slide using (Dystrophin antibody) at dilution of 1:10000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection. The staining was performed on Celnovte's CNT360-M1 autostainer.

Biorbyt Ltd.


7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com
Phone: +44 (0)1223 859353 | Fax: +1 (415) 651-8558


Biorbyt LLC

68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713
United States

Email: info@biorbyt.com, support@biorbyt.com
Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558



Immunohistochemical analysis of paraffin-embedded mouse liver tissue slide using (F4/80 antibody) at dilution of 1:5000 (under 10x lens). Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection. The staining was performed on Celnovte's CNT360-M1 autostainer.



Immunohistochemical analysis of paraffin-embedded human breast cancer tissue slide. Heat mediated antigen retrieval with Tris-EDTA buffer (pH 9.0). Multi-rAb Polymer HRP-Goat anti-rabbit Recombinant secondary antibody orb2302681 was used for detection.

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com

Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

Biorbyt LLC

68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713
United States

Email: info@biorbyt.com, support@biorbyt.com

Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)