

Product Datasheet

Multi-rAb CoraLite Plus 750-Goat Rabbit Recombinant Secondary Antibody (H+L) (orb2302682)

Catalog Number	orb2302682
Category	Antibodies
Description	This Multi-rAb antibody targets Rabbit IgG (H+L) in FC and IF. It is highly specific to rabbit IgG and shows minimal reactivity for mouse, rat, human, pig and bovine IgGs.
Clonality	Recombinant
Species/Host	Goat
Conjugation	CoraLite® Plus 750
Reactivity	Mouse
Form/Appearance	Liquid
Concentration	0.5 mg/mL
Buffer/Preservatives	PBS with 50% glycerol, 10 mg/mL rAlbumin, 0.1% Proclin-300, pH 7.4.
Purity	The antibody was purified from culture media supernatant by immunoaffinity chromatography using Protein G beads.
Tested applications	FC, IF, WB
Dilution range	1:200-1:1000 IF and for FC, 1:5000-1:20,000 for western blotting
Antibody Type	Recombinant Antibody

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com
Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

Biorbyt LLC


68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713
United States

Email: info@biorbyt.com, support@biorbyt.com
Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)


Storage Store at -20°C. Stable for one year after shipment.

Note For research use only


Expiration Date 12 months from date of receipt.



Various lysates were subjected to SDS-PAGE followed by western blot with Rabbit anti-Beta Tubulin recombinant antibody. Multi-rAb CoraLite Plus 750-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) orb2302682 was used at 1:10000 for detection.



Various lysates were subjected to SDS-PAGE followed by western blot with Rabbit anti-Beta Catenin recombinant antibody at dilution of 1:40000. Multi-rAb CoraLite Plus 750-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) orb2302682 was used at 1:10000 for detection.



Various lysates were subjected to SDS-PAGE followed by western blot with Rabbit anti-Beta Tubulin recombinant antibody at dilution of 1:20000. Multi-rAb CoraLite Plus 750-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) orb2302682 was used at 1:10000 for detection.

Biorbyt Ltd.


7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com
Phone: +44 (0)1223 859353 | Fax: +1 (415) 651-8558


Biorbyt LLC

68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713
United States


Email: info@biorbyt.com, support@biorbyt.com
Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558



Immunofluorescent analysis of at dilution of 1:200 and Multi-rAb CoraLite Plus 750-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (orb2302682), Beta Actin antibody (Clone: 2D4H5).



Immunofluorescent analysis of at dilution of 1:200 and Multi-rAb CoraLite Plus 750-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) (orb2302682), CL488-Phalloidin (green).



1×10^6 MOLT4 were surface stained with 0.2 ug Anti-HLA class I rabbit polyclonal antibody and Rabbit IgG Isotype Control. Multi-rAb CoraLite Plus 750-Goat Anti-Rabbit Recombinant Secondary Antibody (H+L) orb2302682 was used at 1:500 for detection.

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com

Phone: +44 (0)1223 859353 | Fax: +1 (415) 651-8558

Biorbyt LLC

68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713
United States

Email: info@biorbyt.com, support@biorbyt.com

Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558