

Product Datasheet

p63 Antibody (orb2649174)

Catalog Number	orb2649174
Category	Antibodies
Description	Purified Rabbit Polyclonal Antibody (Pab)
Target	TP63
Clonality	Polyclonal
Species/Host	Rabbit
Isotype	Rabbit Ig
Conjugation	Unconjugated
Reactivity	Human, Mouse
Form/Appearance	Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Immunogen	This antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between amino acids from human.
UniProt ID	Q9H3D4
MW	76785 Da
Tested applications	WB
Dilution range	WB - 1:1000
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com

Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

Biorbyt LLC


68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713-2847
United States

Email: info@biorbyt.com, support@biorbyt.com


Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

Note For research use only


Expiration Date 12 months from date of receipt.



All lanes: Anti-p63 antibody at 1:2000 dilution. Lane 1: 293T whole cell lysate. Lane 2: K562 whole cell lysate. Lysates/proteins at 20 μ g per lane. Secondary: Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/15000 dilution. Observed band size: 75 KDa. Blocking/Dilution buffer: 5% NFDm/TBST.



All lanes: Anti-p63 antibody at 1:2000 dilution. Lane 1: MCF-7 whole cell lysate. Lane 2: A549 whole cell lysate. Lysates/proteins at 20 μ g per lane. Secondary: Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/15000 dilution. Observed band size: 63 KDa. Blocking/Dilution buffer: 5% NFDm/TBST.



All lanes: Anti-p63 antibody at 1:1000 dilution. Lane 1: HeLa whole cell lysate. Lane 2: PC-3 whole cell lysate. Lane 3: A549 whole cell lysate. Lysates/proteins at 20 μ g per lane. Secondary: Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/15000 dilution. Observed band size: 63 KDa. Blocking/Dilution buffer: 5% NFDm/TBST.

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com

Phone: +44 (0)1223 859353 | Fax: +1 (415) 651-8558

Biorbyt LLC

68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713-2847
United States

Email: info@biorbyt.com, support@biorbyt.com

Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558