

Product Datasheet

ICAM1 Rabbit Polyclonal Antibody (orb339615)

Catalog Number	orb339615
Category	Antibodies
Description	ICAM1 Rabbit Polyclonal Antibody is an unconjugated antibody that specifically recognizes ICAM1. Generated against a Recombinant human ICAM1-N protein. The protein is available as (orb315542) was used as immunogen. It is supplied in liquid form and exhibits reactivity with Mouse and Rat samples. The suitable applications for this antibody are IHC-P and WB.
Target	ICAM1
Clonality	Polyclonal
Species/Host	Rabbit
Isotype	IgG
Conjugation	Unconjugated
Reactivity	Mouse, Rat
Form/Appearance	10 mM PBS, 0.02% sodium azide
Concentration	- 100 µg (in 200 µl): 0.5 mg/ml- 200 µg (in 400 µl): 0.5 mg/ml
Purity	Polyclonal antibodies are purified by peptide affinity chromatography
Immunogen	Recombinant human ICAM1-N protein. The protein is available as (orb315542) was used as immunogen.
MW	58 kDa
Tested applications	IHC-P, WB

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom


Email: info@biorbyt.com, support@biorbyt.com
Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

Biorbyt LLC


68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713-2847
United States

Email: info@biorbyt.com, support@biorbyt.com
Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

Dilution range	IHC-P: 1:50-300, WB: 1:100-2000
Storage	Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.
Note	For research use only
Expiration Date	12 months from date of receipt.



Western blot analysis of ICAM1-N protein 50 ng (lane 1), ICAM1-N protein 100ng (lane 2) (1 ug/mL) using ICAM1-N antibody



WB analysis of rat lymph node (lane 1), rat spinal cord (lane 2), rat stomach (lane 3), rat spleen (lane 4), rat lung (lane 5), U251 cells (lane 6) (1 ug/mL) using ICAM1-N antibody

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com


Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)6518558)

Biorbyt LLC


68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713-2847
United States

Email: info@biorbyt.com, support@biorbyt.com


Phone: [+1 \(415\) 906-5211](tel:+1(415)9065211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)6518558)



Immunohistochemical staining of mouse lymph node tissue using ICAM1-N antibody (5 ug/ml)



IHC-P staining of mouse lymph node tissue using ICAM1-N antibody (5 ug/ml)



Immunohistochemical staining of paraffin embedded mouse skin tissue using anti-ICAM1-N (5 ug/ml)

Biorbyt Ltd.

7 Signet Court, Swann Road
Cambridge
CB5 8LA
United Kingdom

Email: info@biorbyt.com, support@biorbyt.com

Phone: [+44 \(0\)1223 859353](tel:+44(0)1223859353) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)

Biorbyt LLC

68 TW Alexander Drive
Research Triangle Park
Durham
NC 27713-2847
United States

Email: info@biorbyt.com, support@biorbyt.com

Phone: [+1 \(415\) 906-5211](tel:+1(415)906-5211) | Fax: [+1 \(415\) 651-8558](tel:+1(415)651-8558)