

Product Datasheet

Ovalbumin Antibody Peroxidase Conjugated (orb344855)

Description Ovalbumin antibody (Peroxidase)

Species/Host Rabbit

Reactivity Gallus

Conjugation HRP

Tested Applications ELISA, IHC, IP, WB

Immunogen Anti-Ovalbumin Antibody was produced by repeated immunizations with hen egg

white Ovalbumin protein.

Preservatives 0.01% (w/v) Gentamicin Sulfate. Do NOT add Sodium Azide!

Form/Appearance Lyophilized

Concentration 1.0 mg/mL

Storage Store vial at 4° C prior to restoration. For extended storage aliquot contents and

freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to

immediate use.

Note For research use only

Application notesAnti-Ovalbumin Antibody Peroxidase Conjugated has been tested by ELISA and

western blot and is suitable for IHC and IP. Researchers should determine

optimal titers for applications that are not stated below.

Isotype lgG

Clonality Polyclonal

Phone: <u>+1 (415) 906-5211</u> | Fax: <u>+1 (415) 651-8558</u>





Antibody Type

Primary Antibody

Purity

Ovalbumin Antibody is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Rabbit Serum as well as purified and partially purified Ovalbumin [Hen Egg White]. Cross reactivity against Ovalbumin from other tissues and species may occur but have not been specifically determined.

Uniprot ID

P01012

NCBI


P01012.2

Dilution Range


ELISA: 1:5,000 - 1:25,000, IHC: 1:500 - 1:2,500, IP: 1:100, WB: 1:1,000 - 1:5,000

Expiration Date

12 months from date of receipt.



Western Blot of Rabbit anti-Ovalbumin Peroxidase Conjugated Antibody. Lane 1: Ovalbumin (Hen Egg). Load: 50 ng per lane. Primary antibody: Rabbit anti-Ovalbumin Peroxidase Conjugated Antibody at 1:1000 overnight at 4°C. Secondary antibody: none Block: orb348637 for 30 min at RT. Predicted/Observed size: 43 kDa, 43 kDa for Ovalbumin. Other band(s): Ovalbumin splice variants and isoforms.



Western Blot of Rabbit anti-Ovalbumin Peroxidase Conjugated Antibody. Lane 1: Ovalbumin. Lane 2: None. Load: 50 ng per lane. Primary antibody: Rabbit anti-Ovalbumin Peroxidase Conjugated Antibody at 1:1000 overnight at 4°C. Secondary antibody: none Block: orb348637 for 30 min at RT. Predicted/Observed size: 43 kDa, 43 kDa for Ovalbumin. Other band(s): Ovalbumin splice variants and isoforms.