

Product Datasheet

F(ab')2 Cat IgG (H&L) Antibody Peroxidase Conjugated (orb346740)

Catalog Number orb346740

Category Antibodies

Description F(ab')2 Cat IgG (H&L) antibody (Peroxidase)

Clonality Polyclonal

Species/Host Rabbit

Isotype IgG F(ab')2

Conjugation HRP

Reactivity Feline

Form/Appearance Lyophilized

Concentration 10.0 mg/mL

Buffer/Preservatives None

Purity This product is a F(ab')2 fragment of an IgG fraction antibody purified from

monospecific antiserum by a multi-step process which includes delipidation, salt fractionation, ion exchange chromatography and pepsin digestion followed by

extensive dialysis against the buffer stated above. Assay by

immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Rabbit Serum, Cat IgG and Cat Serum. No reaction was

observed against anti-Rabbit IgG F(c) or anti-Pepsin.

Immunogen Cat IgG whole molecule

Tested applications ELISA, IHC, WB

Dilution range ELISA: 1:10,000 - 1:50,000, IHC: 1:500 - 1:2,500, WB: 1:1,000 - 1:10,000

Biorbyt Ltd.

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom Email: info@biorbyt.com Phone: +44 (0) 1223 859-353 | Fax: +1 (415) 651-8558 **Biorbyt LLC.**

68 TW Alexander Drive,

Durham, NC, 27713, United States
Email: info@biorbyt.com, support@biorbyt.com

Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558



Biorbyt.com

Application notes

This product has been assayed against 1.0 ug of Cat IgG in a standard capture ELISA using ABTS (2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:20,000 to 1:100,000 of the reconstitution concentration is suggested for this product. This product has been assayed against 1.0 ug of Cat IgG in a standard capture ELISA using ABTS (2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:20,000 to 1:100,000 of the reconstitution concentration is suggested for this product.

Antibody Type

Secondary Antibody

Storage

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Note

For research use only

Expiration Date

12 months from date of receipt.

Phone: <u>+1 (415) 906-5211</u> | Fax: <u>+1 (415) 651-8558</u>