

Product Datasheet

Goat IgG (H&L) Antibody Peroxidase Conjugated Pre-Adsorbed (orb346994)

Catalog Number orb346994

Category Antibodies

Description Goat IgG (H&L) antibody (Peroxidase)

Clonality Polyclonal

Species/Host Rabbit

Isotype IgG

Conjugation HRP

Reactivity Goat

Form/Appearance Lyophilized

Buffer/Preservatives 0.01% (w/v) Gentamicin Sulfate. Do NOT add Sodium Azide!

Purity This product was prepared from monospecific antiserum by immunoaffinity

chromatography using Goat IgG coupled to agarose beads followed by solid

phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Rabbit Serum, Goat IgG and Goat Serum. No reaction was

observed against Human Serum Proteins.

Immunogen Goat IgG whole molecule

Tested applications ELISA, WB





Application notes

Anti-Goat IgG (H&L) peroxidase conjugated has been tested by ELISA and western blot and is suitable for immunoblotting (western or dot blot), ELISA, immunoperoxidase electron microscopy and immunohistochemistry as well as other peroxidase-antibody based enzymatic assays requiring lot-to-lot consistency.

Antibody Type

Secondary Antibody

Storage


Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Note

For research use only

Expiration Date

12 months from date of receipt.



Western Blot of Peroxidase conjugated Rabbit anti-Goat IgG antibody. Lane 1: Goat IgG. Lane 2: Human IgG. Load: 50 ng per lane. Primary antibody: none. Secondary antibody: Peroxidase rabbit secondary antibody at 1:5000 for 60 min at RT. Block: 5% BSA-TBS overnight at 4°C. Predicted/Observed size: 55 kDa, 28 kDa for Goat IgG. Other band(s): none.