

## **Product Datasheet**

## **Anti-Desmin Antibody (orb705442)**

**Description** Mouse monoclonal antibody to Desmin

**Species/Host** Mouse

**Reactivity** Human

**Conjugation** Unconjugated

**Tested Applications** IH

**Immunogen** KLH-conjugated synthetic peptide encompassing a sequence within human

Desmin. The exact sequence is proprietary.

Target DES

**Preservatives** Mouse IgG2b. Liquid in PBS containing 50% glycerol, 0.2% rAlbumin and 0.01%

sodium azide.

Form/Appearance Mouse IgG2b. Liquid in PBS containing 50% glycerol, 0.2% rAlbumin and 0.01%

sodium azide.

**Storage** Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -

20°C in small aliquots to prevent freeze-thaw cycles.

**Note** For research use only

**Clonality** Monoclonal

**Antibody Type** Primary Antibody

**Source** Mouse

Uniprot ID P17661

Entrez 1674

**Dilution Range** IHC-P: 1:100-1:300

**Biorbyt Ltd.** 

7 Signet Court, Swann's Road, Cambridge, CB5 8LA, United Kingdom Email: <a href="mailto:info@biorbyt.com">info@biorbyt.com</a> Phone: +44 (0) 1223 859-353 | Fax: +1 (415) 651-8558 **Biorbyt LLC.** 

68 TW Alexander Drive,

Durham, NC, 27713, United States


 $\begin{aligned} & \text{Email: } \underline{\text{info@biorbyt.com}}, \ \underline{\text{support@biorbyt.com}} \\ & \text{Phone: } \underline{+1 \ (415) \ 906\text{-}5211} \ \big| \ \text{Fax: } \underline{+1 \ (415) \ 651\text{-}8558} \end{aligned}$ 






## **Expiration Date**


12 months from date of receipt.



Immunohistochemical analysis of Desmin staining in human colon formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.



Immunohistochemical analysis of Desmin staining in human fibroid formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.




Immunohistochemical analysis of Desmin staining in human liomyoma formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Phone: +1 (415) 906-5211 | Fax: +1 (415) 651-8558







Immunohistochemical analysis of Desmin staining in human appendix formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

 $\begin{aligned} & \text{Email: } \underline{info@biorbyt.com}, \ \underline{support@biorbyt.com} \\ & \text{Phone: } \underline{+1~(415)~906-5211} \mid \text{Fax: } \underline{+1~(415)~651-8558} \end{aligned}$