

NRBF-2 rabbit pAb**Cat#: orb765859 (Manual)**


For research use only. Not intended for diagnostic use.

Product Name	NRBF-2 rabbit pAb
Host species	Rabbit
Applications	WB;ELISA
Species Cross-Reactivity	Human;Mouse;Rat
Recommended dilutions	Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.
Immunogen	The antiserum was produced against synthesized peptide derived from human NRBF2. AA range:140-189
Specificity	NRBF-2 Polyclonal Antibody detects endogenous levels of NRBF-2 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide..
Storage	Store at -20°C. Avoid repeated freeze-thaw cycles.
Protein Name	Nuclear receptor-binding factor 2
Gene Name	NRBF2
Cellular localization	Nucleus . Cytoplasm . Cytoplasmic vesicle . Cytoplasmic vesicle, autophagosome .
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Clonality	Polyclonal


Concentration	1 mg/ml
Observed band	36kD
Human Gene ID	29982
Human Swiss-Prot Number	Q96F24
Alternative Names	NRBF2; COPR; Nuclear receptor-binding factor 2; NRBF-2; Comodulator of PPAR and RXR

Background


function:May modulate transcriptional activation by target nuclear receptors. Can act as transcriptional activator (in vitro).,subunit:Interacts with PPARG, PPARG and PPARG. Interacts with RARA, RARG and RXRA in the presence of bound ligand.,tissue specificity:Detected in keratinocytes, liver and placenta.,



Western Blot analysis of various cells using NRBF-2 Polyclonal Antibody



Western blot analysis of lysates from A549 cells, using NRBF2 Antibody. The lane on the right is blocked with the synthesized peptide.



Western blot analysis of the lysates from RAW264.7 cells using NRBF2 antibody.